

MICHAEL A. O'NEIL, P.C.
INTELLECTUAL PROPERTY ATTORNEYS AND COUNSELORS

5949 Sherry Lane, Suite 820
Dallas, Texas 75225
214-739-0088
Telecopier 214-739-8284
www.oneillplaw.com

June 27, 2006

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Re: Registration No. U.S. 7,052,604 B2
Issued: May 30, 2006
For: WATER TREATMENT SYSTEM
Serial No.: 10/681,985
Filed: October 9, 2003
Our File: 900350-1001

Dear Sir:

Enclosed please find a Certificate of Correction for the subject patent. The Certificate of Correction contains errors made on the part of the Patent Office so no fee is enclosed. Below are minor errors that were made on the part of the Applicant and a certificate of correction is not deemed necessary. However, Applicant desires this letter of correction be made of record in the file.

Col. 4, line 56, replace "In some instances" with -- In some instances, --.

Col. 4, line 58, replace "predetermined amount such" with -- predetermined amount, such--.

Col. 4, line 64, replace "system 42 the rod" with -- system 42, the rod --.

If you have any questions, please call me.

Very truly yours,

MICHAEL A. O'NEIL, P.C.

Michael A. O'Neil

Enclosure

cc: Mr. Roy Seibert